

Work Order ID 134546

Wednesday, July 08, 2015 3:19:15 PM

134546

Page 1

Item ID: D2573

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Saddle, Aft, Out

Start Date: 7/07/15 Start Qty: 12.00

12

Cust Item ID:

Required Date: 7/07/15 Req'd Qty: 12.00

12

Customer:

Reference:

Approvals: Process Plan: MLJ Date: JUL 10 2015

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2573	F								

100

0.00

100

HAAS CNC VERTICAL MACHINING #1

HAAS 1

Memo

0.00

HAAS CNC vertical machine #1

Program Batch No. 134546Double check by: D.O.

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets

2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets

3-Machine Step No 3 per Folio FA051 and insp

12 0 SL15-8-19

110

0.00

110

CONVENTIONAL MILLING MACHINE

Mill Conv

Memo

0.00

Conventional Milling Machine

Machine keyway as per dwg D2573 & D2574

12 0 SL15-8-19

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table> <tr> <td>Skid-tube ☐</td> <td>Cross tube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
	Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																				
	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																				
	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																				
Large Fab ☐	Composite ☐	Supplier ☐																						

Date : _____	Step #: _____	QTY Effective : _____	MRB (QSI042) Approval
--------------	---------------	-----------------------	-----------------------

Description Work Order Deviation		Disposition		Completed By
				Lead hand / Supervisor Approval Verification
				QC / QA Coordinator Approval

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐						
Misidentified ☐	Past Due ☐	OTHER : _____					

Wednesday, July 08, 2015 3:19:15 PM

Page 2

Stop *NR2*

**Insp.
Stamp**

12 0 SL 15-8-19

B. 15/08/25

12 0 08 9-89

12 ✓ 0-15/08/31

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

134546

Page 3

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 7/07/15 **Start Qty:** 12.00 ***12***

Cust Item ID:

Required Date: 7/07/15 **Req'd Qty:** 12.00 ***12***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run	Start	*NR1*
	Stop	*NR2*

[illegible]

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table border="0"> <tr> <td>Skid-tube ☐</td> <td>Cross tube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
	Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																				
	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																				
	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																				
Large Fab ☐	Composite ☐	Supplier ☐																						

Date :	Step #:	QTY Effective :	MRB (QS1042) Approval
Description Work Order Deviation		Disposition	Completed By
			Lead hand / Supervisor Approval Verification
			QC / QA Coordinator Approval

Root Cause			FAULT CATEGORY		
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Past Expiry Date ☐	Manufacturing Process ☐				
Misidentified ☐	Past Due ☐	OTHER :			

Work Order ID 134546

Wednesday, July 08, 2015 3:19:15 PM

134546

Page 4

Item ID: D2573

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Saddle, Aft, Out

Stop

NS2

Start Date: 7/07/15 Start Qty: 12.00

12

Cust Item ID:

Required Date: 7/07/15 Req'd Qty: 12.00

12

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

180

QC21- Final Inspection - Work Order Release

0.00

180

QC

Memo

0.00

Quality Control

SEP 02 2015

20150901

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			OTHER : ☐	

Picklist Print

Wednesday, July 08, 2015 3:19:15 PM

Page 1

Work Order ID: 134546

134546

Parent Item: D2573

D2573

Parent Item Name: Saddle, Aft, Out

Start Date: 7/07/15

Required Date: 7/07/15

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP: I As Per RevE 06-01-27 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-007		Manufactured	No			100	Each	56.0000	1	12			

D6101-007

Saddle Billet

✓ 15-8-13

Location

Loc Qty

Loc Code

MAT041

48

131095

18

133547

30

MAT044

8

116083

1

120494

7

12

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

DART AEROSPACE LTD	Work Order: 134546
Description: Saddle, Aft Outboard	Part Number: D2573
Inspection Dwg: D2573 Rev. F	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	0.438	0.443		438	438	438	438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.001	8.001	8.000	8.001		
F	0.490	0.510		.502	.501	.500	.498		
G	0.257	0.262		.258	.258	.258	.258		
H	0.375	0.380		.376	.376	.376	.376		
I	0.490	0.510		.501	.501	.501	.501		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		.568	.568	.568	.568		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.365	1.375		1.370	1.370	1.370	1.370		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	4.119	4.129		4.124	4.124	4.124	4.124		
P	0.115	0.135		.135	.135	.135	.135		
Q	0.115	0.135		.127	.126	.126	.126		
R	0.240	0.260		.250	.251	.251	.251		
S	0.115	0.135		.128	.130	.130	.130		
T	0.178	0.198		.188	.188	.188	.188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		.241	.242	.241	.240		
W	0.115	0.135		.128	.131	.130	.130		
X	0.308	0.313		.310	.310	.310	.310		
Y	0.760	0.765		.760	.760	.760	.760		
Z	0.352	0.372		.367	.362	.364	.362		
AA	0.470	0.530		.500	.500	.500	.500		
AB	0.615	0.635		.628	.625	.624	.625		
AC	0.053	0.073		.063	.063	.063	.063		
AD	0.240	0.260		.249	.250	.250	.249		
AE	1.500	1.520		1.517	1.514	1.516	1.515		
AF	0.115	0.135		.125	.125	.125	.125		
AG	0.240	0.280		.270	.270	.270	.270		
AH	0.240	0.260		.246	.247	.247	.247		
AI	2.000	2.020		2.007	2.004	2.006	2.005		
AJ	0.023	0.043		.033	.033	.033	.033		
Accept/Reject									

Measured by:	SK
Date:	15-8-13

Audited by:	B.A	DAS
Date:	15/08/25	08
		9-89

Rev	Date	Change	Revised by	Approved
B	02.09.26	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

DART AEROSPACE LTD	Work Order: 134546
Description: Saddle, Aft Outboard	Part Number: D2573
Inspection Dwg: D2573 Rev. F	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	15	16	17	18		
A	0.438	0.443		.438	.438	.438	.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.001	8.000	8.001		
F	0.490	0.510		.497	.502	.500	.503		
G	0.257	0.262		.258	.258	.258	.258		
H	0.375	0.380		.376	.376	.376	.376		
I	0.490	0.510		.502	.503	.502	.501		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		.569	.569	.570	.567		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.365	1.375		1.370	1.370	1.370	1.370		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	4.119	4.129		4.124	4.124	4.124	4.124		
P	0.115	0.135		.135	.135	.135	.135		
Q	0.115	0.135		.126	.125	.126	.126		
R	0.240	0.260		.251	.250	.250	.251		
S	0.115	0.135		.130	.129	.129	.129		
T	0.178	0.198		.188	.188	.188	.188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		.241	.240	.239	.240		
W	0.115	0.135		.131	.128	.127	.129		
X	0.308	0.313		.310	.310	.310	.310		
Y	0.760	0.765		.760	.760	.760	.760		
Z	0.352	0.372		.363	.362	.363	.364		
AA	0.470	0.530		.500	.500	.500	.500		
AB	0.615	0.635		.626	.626	.625	.625		
AC	0.053	0.073		.063	.063	.063	.063		
AD	0.240	0.260		.251	.248	.249	.250		
AE	1.500	1.520		1.515	1.514	1.515	1.514		
AF	0.115	0.135		.125	.125	.125	.125		
AG	0.240	0.280		.270	.270	.270	.270		
AH	0.240	0.260		.247	.246	.246	.246		
AI	2.000	2.020		2.005	2.004	2.005	2.004		
AJ	0.023	0.043		.033	.033	.033	.033		
Accept/Reject									

Measured by:	SL
Date:	15-8-17

Audited by:	h.n	DAS
Date:	15/08/25	08
		9-89

Rev	Date	Change	Revised by	Approved
B	02.09.26	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

DART AEROSPACE LTD	Work Order: 134546
Description: Saddle, Aft Outboard	Part Number: D2573
Inspection Dwg: D2573 Rev. F	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				19	20	11	12		
A	0.438	0.443		438	438	438	438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.001	8.001	8.000	8.001		
F	0.490	0.510		500	500	499	500		
G	0.257	0.262		258	258	258	258		
H	0.375	0.380		376	376	376	376		
I	0.490	0.510		501	500	500	501		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		567	568	568	569		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.365	1.375		1.370	1.370	1.370	1.370		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	4.119	4.129		4.124	4.124	4.124	4.124		
P	0.115	0.135		135	135	135	135		
Q	0.115	0.135		125	126	125	126		
R	0.240	0.260		250	251	250	251		
S	0.115	0.135		130	130	130	130		
T	0.178	0.198		188	188	188	188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		240	240	238	240		
W	0.115	0.135		128	128	128	129		
X	0.308	0.313		310	311	311	310		
Y	0.760	0.765		760	760	760	760		
Z	0.352	0.372		362	363	362	363		
AA	0.470	0.530		500	500	500	500		
AB	0.615	0.635		625	625	625	626		
AC	0.053	0.073		063	063	063	063		
AD	0.240	0.260		249	250	246	249		
AE	1.500	1.520		1.514	1.515	1.515	1.515		
AF	0.115	0.135		125	125	125	125		
AG	0.240	0.280		270	270	270	270		
AH	0.240	0.260		247	247	247	247		
AI	2.000	2.020		2.004	2.005	2.005	2.005		
AJ	0.023	0.043		033	033	033	033		
Accept/Reject									

Measured by:	SL
Date:	15-8-18

Audited by:	H.A.	DAB
Date:	15/08/25	00

Rev	Date	Change	Revised by	Approved
B	02.09.26	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

SHOP COPY

RETURN TO

ISSUING OFFICE

CLASSIFICATION

CONTROL DOCUMENT

NOTICE

134546

15-07-10

CHAMFER 0.033 x 45°
ALL AROUND

R0.025
REF. TYP

RELEASED
2013-01-07

DETAIL C C5-1
SCALE 2X

VIEW B-B B5-1

F	D6101-007 WAS D6102-001 REF NCR12-1832	SFM	12.11.13
E	ADD CHAMFER ON RIDGE, NOTE 5	PH	05.07.13
D	ADD RIDGES; TIGHTEN TOLERANCES	CP	02.09.06
C	INCRP. DEO 9123/9079/9120 ADD DIMENSIONS PER TSR A1177	CP	99.10.22
B	ADD GRAIN DIR., 0.438 WAS 0.425	CW	96.12.02
A	NEW ISSUE	BW	96.09.16
REV.	DESCRIPTION	BY	DATE
DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	SFM		
CHECKED		DRAWING NO.	REV.F
MFG. APPR.		D2573	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.		OUTER AFT SADDLE	NTS
DATE	12.11.13	COPYRIGHT © 1996 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

D2573 OUTER AFT SADDLE

NOTES:

- 1) MATERIAL: 7075-T7351 PER QQ-A-250/12 (REF DART SPEC. D6101-007)
- 2) FINISH: ACID ETCH, ALODINE PER DART QSI 005 4.1
POWDER COAT WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFY WITH DART P/N "D2573" AND B/N PER DART QSI 044 6.3
(CNC ENGRAVING) USE MAX DEPTH OF 0.010 WITH MIN TOOL RAD OF 0.010
ENGRAVE DART LOGO TO MAX DEPTH OF 0.015 WITH MIN RAD OF 0.125
- 7) WEIGHT: 1.07 lbs

SECTION A-A D6-1

